

# The panda package

## Estimating the blackness of fonts



**samcarter**

<https://github.com/samcarter/panda>

<https://ctan.org/pkg/panda>

Version v0.2 – 2025/10/09

## 1 Introduction

Imagine the following problem: there is a hungry panda sitting next to you and just today, you happen to not have any bamboo with you. Now you are a L<sup>A</sup>T<sub>E</sub>X user and the only limits are your own imagination, so of course you try to draw a couple of bamboo sticks with L<sup>A</sup>T<sub>E</sub>X. Here dear panda, have three bamboo sticks: |||. The panda likes them and wants to make more. **However the panda uses a different font and the bamboo sticks suddenly look a lot less tasty, they look just too thin:** |||.

The panda package provides estimates for the stroke width of fonts and how black the fonts look on the page. Creators of symbols etc. can use these estimates to adjust their drawings to better blend in with the surrounding text.

### **Yummy bamboo sticks: |||**

The results won't be a perfect match for all fonts and strokes can also look differently compared to the surrounding text depending on the PDF viewer and zoom level, but the results should be good enough to ensure that the symbols don't stand out immediately.

Note that this package was developed and tested with texts in Latin scripts – results might be less satisfactory if used with other scripts.

This package is work in progress, therefore I would be happy to hear your feedback and ideas how to improve the package. The development version of the source code can be found at <https://github.com/samcarter/panda>, including an issue tracker. A more stable version of the package can be found on CTAN (<https://ctan.org/pkg/panda>) and is included in both T<sub>E</sub>XLive and MiK<sup>T</sup>E<sub>X</sub> as **panda**. If you seek any other assistance (not bug reports/feature requests), I suggest asking at <https://topanswers.xyz/tex>.

Copyright © **samcarter**. Permission is granted to copy, distribute and/or modify this software under the terms of the LaTe<sub>X</sub> project public licence, version 1.3c or later <https://www.latex-project.org/lppl.txt>.

## 2 Clever Panda

The Clever Panda approach is inspired by a brilliant answer by @Skillmon<sup>1</sup>, which uses the difference between the height of a full stop and 1 pt to estimate a proxy for the stroke width of the current font.

The Clever Panda uses a simpler approach of directly employing a fraction of the full stop height and combines this with a manually curated list of exceptions.

Compared to the Busy Panda approach, described in the next section, this approach should be faster and isn't limited to what fonts are in a look-up table.

### 2.1 Usage (simple case)

After loading the package, the command `\CleverPanda{}` will expand to a length, which can be used as stroke width for drawing symbols etc.

#### Basic usage

```
\documentclass{article}
\usepackage{CleverPanda}
\begin{document}
    cmr: \rule{ \CleverPanda{} }{8pt} cmr: |
    ugq: \rule{ \CleverPanda{} }{8pt} ugq: |
        \fontfamily{ugq}\selectfont
            ugq: \rule{ \CleverPanda{} }{8pt}
\end{document}
```

There are two options for customisation: the `scale=...` package option sets a default scaling value. For example, `scale=10` means that `\CleverPanda{}` returns a length ten times as long as it normally would. The scaling factor can also be set locally in the mandatory argument, e.g. `\CleverPanda{42}`.

#### Options

```
\documentclass{article}
\usepackage[scale=10]{CleverPanda}
\begin{document}
    cmr: \rule{ \CleverPanda{} }{8pt} cmr: ■
    cmr: \rule{ \CleverPanda{42} }{8pt} cmr: ■■■■■
\end{document}
```

### 2.2 Special Case (TikZ)

The `\CleverPanda{}` command works well, as long as the height of the full stop is available when the macro is used. Unfortunately, that's not always the case.

<sup>1</sup> see <https://topanswers.xyz/tex?q=8139#a7747>

One notable problem case are TikZ options, e.g. while setting line widths. As a workaround, one can use the command `\CleverPandaSet` before the TikZ picture and then `\CleverPandaGet{}` in the TikZ options to access the stroke width:

### TikZ

```
\documentclass{article}
\usepackage{CleverPanda}
\usepackage{tikz}
\newlength{\IHeight}

\newcommand{\tikzbamboo}{%
    \setlength{\IHeight}{\fontcharht\font`I}%
    \CleverPandaSet
    \begin{tikzpicture}[baseline]
        \draw[line width=\CleverPandaGet{}]
            (0,0) -- (0,\IHeight);
    \end{tikzpicture}%
}

\begin{document}
    \cmr: \tikzbamboo

    \fontfamily{ugq}\selectfont
    ugq: \tikzbamboo
\end{document}
```

## 3 Busy Panda

The approach of the Busy Panda is different. To get an estimate of how black text in a particular font looks like, the Busy Panda uses a sample PDF with:

```
  Lorem ipsum dolor sit amet, consectetur adip
```

After converting the PDF into a pixel graphic, the average blackness of the pixels can be calculated. After repeating this for different fonts (including their bold versions), the Busy Panda now contains a look-up table with the average blackness for about 8800 fonts, normalised to the average blackness of Computer Modern Roman. Tests with different sample texts and image resolutions indicate that the error of this method is about 10%. While not perfect, this is usually accurate enough to make symbols blend in with the surrounding text.

Compared to the Clever Panda approach from the previous section, this approach gives more accurate results, in particular for very heavy fonts, and is more versatile to use.

### 3.1 Usage

The basic usage is simple: after loading the package, the command `\BusyPanda{}` provides a normalised estimate of the blackness of the current font:

#### Basic usage

```
\documentclass{article}
\usepackage{BusyPanda}
\begin{document}
  cmr: \BusyPanda{}
  ugq: \selectfont
  ugq: \BusyPanda{}
\end{document}
```

cmr: 1  
**ugq: 2.40491**

There are two options for customisation: the `scale=...` package option sets a default scaling value. For example, `scale=10` means that `\BusyPanda{}` no longer returns 1 for Computer Modern Roman, but 10. The scaling factor can also be set locally in the mandatory argument, e.g. `\BusyPanda{42}`.

#### Options

```
\documentclass{article}
\usepackage[scale=10]{BusyPanda}
\begin{document}
  cmr: \BusyPanda{}
  cmr: \BusyPanda{42}
\end{document}
```

cmr: 10  
cmr: 42

## 3.2 Creating symbols

There is still a hungry panda sitting next to you, so let's create some extra yummy bamboo sticks:

### Feeding the panda

```
\documentclass{article}
\usepackage{BusyPanda}
\newlength{\IHeight}

\newcommand{\bamboo}{%
  \setlength{\IHeight}{\fontcharht\font`I}%
  \rule{%
    \ BusyPanda{0.125}\IHeight
  }{%
    \IHeight
  }%
}

\begin{document}
Normal bamboo: \bamboo

\fontfamily{ugq}\selectfont
Extra yummy bamboo: \bamboo
\end{document}
```

Normal bamboo: I  
**Extra yummy bamboo: I**

In the example above, `\BusyPanda{}` is used in combination with the height of the letter I. This ensures that stroke width will scale with the size of the text.

## 3.3 Unsupported fonts

Given the seemingly infinite number of fonts out there, this package will never be able to support them all – but more can be added with your help!

If the font you are using isn't yet supported, then please get the test document from:

[https://github.com/samcarter/panda/blob/main/BusyPanda\\_unsupportedFonts.tex](https://github.com/samcarter/panda/blob/main/BusyPanda_unsupportedFonts.tex)

You only need to change the font name in the second line and compile with either `pdflatex` or `lualatex`. Then open an issue at <https://github.com/samcarter/panda/issues> and upload the compiled PDF there.

How to know if your font is unsupported? `\BusyPanda{}` will return the same value as for Computer Modern Roman (1) and, if compiled with LualATeX a warning can be found in the .log file. Furthermore, the package option `unknown error` can be used to enable an error for all engines.

## 4 Examples

Font Family	Clever Panda	Busy Panda
AccanthisADFStdNoThree-LF	Lorem   Lipsum	Lorem   Lipsum
Alegreya-OsF	Lorem   Lipsum	Lorem   Lipsum
Alegreya-TLF	Lorem   Lipsum	Lorem   Lipsum
AnonymousPro	Lorem   Lipsum	LoREM   Lipsum
antp	LoREM   Lipsum	LoREM   Lipsum
annt	LoREM   Lipsum	LoREM   Lipsum
anttc	LoREM   Lipsum	LoREM   Lipsum
anttl	LoREM   Lipsum	LoREM   Lipsum
anttlc	LoREM   Lipsum	LoREM   Lipsum
artemisia	LoREM   Lipsum	LoREM   Lipsum
augie	LoREM   Lipsum	LoREM   Lipsum
<b>auncle</b>	<b>LoREM   Lipsum</b>	<b>LoREM   Lipsum</b>
bch	LoREM   Lipsum	LoREM   Lipsum
bodoni	LoREM   Lipsum	LoREM   Lipsum
Cabin-TLF	LoREM   Lipsum	LoREM   Lipsum
Caladea-TLF	LoREM   Lipsum	LoREM   Lipsum
cantarell-OsF	LoREM   Lipsum	LoREM   Lipsum
ccr	LoREM   Lipsum	LoREM   Lipsum
CINZEL-LF	LOREM   LIPSUM	LOREM   LIPSUM
CINZELDECORATIVE-LF	LOREM   LIPSUM	LOREM   LIPSUM
ClearSans-TLF	LoREM   Lipsum	LoREM   Lipsum
clm	LoREM   Lipsum	LoREM   Lipsum
clmd	LoREM   Lipsum	LoREM   Lipsum
clmqs	LoREM   Lipsum	LoREM   Lipsum
clms	LoREM   Lipsum	LoREM   Lipsum
clmt	LoREM   Lipsum	LoREM   Lipsum
clmv	LoREM   Lipsum	LoREM   Lipsum
cmbr	LoREM   Lipsum	LoREM   Lipsum
cmdh	LoREM   Lipsum	LoREM   Lipsum
<b>cmn</b>	<b>LoREM   Lipsum</b>	<b>LoREM   Lipsum</b>
cmr	LoREM   Lipsum	LoREM   Lipsum
cmss	LoREM   Lipsum	LoREM   Lipsum
cmtt	LoREM   Lipsum	LoREM   Lipsum
cmvtt	LoREM   Lipsum	LoREM   Lipsum

Font Family	Clever Panda	Busy Panda
comfortaa	Lorem   Lipsum	Lorem   Lipsum
Crlt-TLF	Lorem   Lipsum	Lorem   Lipsum
<b>cyklop</b>	<b>  <b>Lorem   Lipsum</b></b>	<b>  <b>Lorem   Lipsum</b></b>
DejaVuSans-TLF	Lorem   Lipsum	Lorem   Lipsum
DejaVuSansMono - TLF	Lorem   Lipsum	Lorem   Lipsum
DejaVuSerif-TLF	Lorem   Lipsum	Lorem   Lipsum
droidsans	Lorem   Lipsum	Lorem   Lipsum
droidsansmono	Lorem   Lipsum	Lorem   Lipsum
droidserif	Lorem   Lipsum	Lorem   Lipsum
EBGaramond-OsF	Lorem   Lipsum	Lorem   Lipsum
erewhon-OsF	Lorem   Lipsum	Lorem   Lipsum
fav	Lorem   Lipsum	Lorem   Lipsum
fbb-LF	Lorem   Lipsum	Lorem   Lipsum
FiraSans-TLF	Lorem   Lipsum	Lorem   Lipsum
<i>frc</i>	Lorem   Lipsum	Lorem   Lipsum
fve	Lorem   Lipsum	Lorem   Lipsum
fvm	Lorem   Lipsum	Lorem   Lipsum
fvs	Lorem   Lipsum	Lorem   Lipsum
GilliusADF-LF	Lorem   Lipsum	Lorem   Lipsum
GilliusADFNoTwo-LF	Lorem   Lipsum	Lorem   Lipsum
Heuristica-TLF	Lorem   Lipsum	Lorem   Lipsum
iwona	Lorem   Lipsum	Lorem   Lipsum
iwonac	Lorem   Lipsum	Lorem   Lipsum
iwonal	Lorem   Lipsum	Lorem   Lipsum
iwonalc	Lorem   Lipsum	Lorem   Lipsum
jkp	Lorem   Lipsum	Lorem   Lipsum
jkp	Lorem   Lipsum	Lorem   Lipsum
jkpl	Lorem   Lipsum	Lorem   Lipsum
jkpss	Lorem   Lipsum	Lorem   Lipsum
jkpss	Lorem   Lipsum	Lorem   Lipsum
jkptt	Lorem   Lipsum	Lorem   Lipsum
jkpx	Lorem   Lipsum	Lorem   Lipsum
kurier	Lorem   Lipsum	Lorem   Lipsum
kurierc	Lorem   Lipsum	Lorem   Lipsum
kurierl	Lorem   Lipsum	Lorem   Lipsum
kurierlc	Lorem   Lipsum	Lorem   Lipsum
lato-OsF	Lorem   Lipsum	Lorem   Lipsum

Font Family	Clever Panda	Busy Panda
<i>lbatr-LF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>LibreBskvl-LF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>LibreCsln-TLF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>LinuxBiolinumT-OsF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>LinuxLibertineDisplayT-OsF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>LinuxLibertineMonoT-TLF</i>	<i>lorem   lipsum</i>	<i>lorem   lipsum</i>
<i>LinuxLibertineT-OsF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>Merriwthr-OsF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>MerriwthrSans-TLF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>MintSpirit-LF</i>	<i>lorem   lipsum</i>	<i>lorem   lipsum</i>
<i>nanumgt</i>	<i>lorem   lipsum</i>	<i>lorem   lipsum</i>
<i>nanummj</i>	<i>lorem   lipsum</i>	<i>lorem   lipsum</i>
<i>neohellenic</i>	<i>lorem   lipsum</i>	<i>lorem   lipsum</i>
<i>opensans-TLF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>Ovrlck-LF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>Ovrlck-LF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>pag</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>pbk</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>pcr</i>	<i>lorem   lipsum</i>	<i>lorem   lipsum</i>
<i>phv</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>PlyfrDisplay-OsF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>pnc</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>ppl</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>ptm</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>PTMono-TLF</i>	<i>lorem   lipsum</i>	<i>lorem   lipsum</i>
<i>PTSans-TLF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>PTSansCaption-TLF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>PTSansNarrow-TLF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>PTSerif-TLF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>PTSerifCaption-TLF</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>put</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>pzc</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>qag</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>qbk</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>qcr</i>	<i>lorem   lipsum</i>	<i>lorem   lipsum</i>
<i>qcs</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>
<i>qhv</i>	<i>lorem lipsum</i>	<i>lorem lipsum</i>

Font Family	Clever Panda	Busy Panda
qhvc	Lorem   Lipsum	Lorem   Lipsum
qpl	Lorem   Lipsum	Lorem   Lipsum
qtm	Lorem   Lipsum	LOREM   LIPSUM
Quattro-LF	LOREM   LIPSUM	LOREM   LIPSUM
QuattroSans-LF	LOREM   LIPSUM	LOREM   LIPSUM
Roboto-TLF	LOREM   LIPSUM	LOREM   LIPSUM
RobotoSlab-TLF	LOREM   LIPSUM	LOREM   LIPSUM
SourceCodePro-TLF	LOREM   LIPSUM	LOREM   LIPSUM
SourceSansPro-TLF	LOREM   LIPSUM	LOREM   LIPSUM
<b>SQRC</b>	<b>LOREM   LIPSUM</b>	<b>LOREM   LIPSUM</b>
stix	LOREM   LIPSUM	LOREM   LIPSUM
ua1	LOREM   LIPSUM	LOREM   LIPSUM
uaq	LOREM   LIPSUM	LOREM   LIPSUM
udidot	LOREM   LIPSUM	LOREM   LIPSUM
ugm	LOREM   LIPSUM	LOREM   LIPSUM
<b>ugq</b>	<b>LOREM   LIPSUM</b>	<b>LOREM   LIPSUM</b>
ul9	LOREM   LIPSUM	LOREM   LIPSUM
ulg	LOREM   LIPSUM	LOREM   LIPSUM
UniversalisADFStd-LF	LOREM   LIPSUM	LOREM   LIPSUM
ybd	LOREM   LIPSUM	LOREM   LIPSUM
ybv	LOREM   LIPSUM	LOREM   LIPSUM
yes	LOREM   LIPSUM	LOREM   LIPSUM
yfrat	LOREM   LIPSUM	LOREM   LIPSUM
yly	LOREM   LIPSUM	LOREM   LIPSUM
yrd	LOREM   LIPSUM	LOREM   LIPSUM
yvl	LOREM   LIPSUM	LOREM   LIPSUM
wld	LOREM   LIPSUM	LOREM   LIPSUM
yv2	LOREM   LIPSUM	LOREM   LIPSUM
yv3	LOREM   LIPSUM	LOREM   LIPSUM
yvo	LOREM   LIPSUM	LOREM   LIPSUM
YVØD	LOREM   LIPSUM	LOREM   LIPSUM
yvt	LOREM   LIPSUM	LOREM   LIPSUM
YVTÐ	LOREM   LIPSUM	LOREM   LIPSUM
zgmx	LOREM   LIPSUM	LOREM   LIPSUM
zi4	LOREM   LIPSUM	LOREM   LIPSUM